

Township No. IX North, Range No. XI East.

Surveyed by John Brownson, 1807

Quantity south of the Indian Boundary 20,743.53
 20 north of do. 1,152.37
 21,895.90

Quality of the land on the interior Section lines

Section	Quality &c.	Section	Quality &c.	Section	Quality &c.
20. 26	Hilly; Beech, Oak, Poplar, Sugar, Hickory &c.	15. 22	Broken; Beech, Oak, Poplar &c.	21. 27	Level; Beech, Poplar, Oak, Hickory &c.
20. 25	Same	10. 15	Same	20. 21	Same
20. 24	Same	9. 10	Same	16. 21	Same
20. 23	Same	26. 27	Level; Beech, Sugar, Poplar, Hickory, Oak &c.	16. 17	Same
20. 22	High rich land; Hickory, Ash, Oak &c.	14. 23	Same	9. 16	Same
17. 17	Same	2. 11	Same	31. 32	Same
14. 10	Level rich; Beech, Oak &c.	32. 33	Same	29. 30	Same
13. 18	Same	28. 33	Same	4. 9	Rolling; Beech, Oak, Hickory &c.
20. 24	Rolling; Beech, Oak, Sugar &c.	28. 33	Same	7. 8	Same
13. 21	Same	28. 24	Same	7. 15	Level Beech land
13. 14	Same	2. 3	Rolling; Beech, Oak, Poplar &c.	18. 19	Flat same
10. 13	Same	27. 34	Same	4. 5	Broken; Beech, Oak, Poplar, Oak &c.
11. 12	Same	27. 28	Same	5. 8	Part same; rest bottom
1. 12	Same	22. 27	Same	19. 30	Beech & Maple thickets, then soil
24. 33	Same	21. 42	Same	30. 31	High rich land; Beech, Poplar, Oak, Gum &c.
26. 33	Same	16. 15	Same		
25. 23	Same	3. 10	Same		
14. 13	Same	3. 4	Same		
11. 14	Same	8. 9	Same		
10. 11	Same	30. 34	Flat land; Oak, Gum, Ash &c.		
1. 7	Broken; Beech, Oak, Poplar &c.	17. 20	Same		
23. 26	Same	29. 32	2. note; Beech, Poplar, Oak, Hickory &c.		


Township N. 9 Range E. 11

Interior Section Corners

Quarter Section Corners continued


Section	From	Bearing	Distance	Section	From	Bearing	Distance	Section	From	Bearing	Distance	Section	From	Bearing	Distance
A	Sugar	16 N 7 W	2	24, 26, 28, 26	Sugar	18 North	4	24, 26, 28, 26	Sugar	18 North	4	24, 26, 28, 26	Sugar	18 North	4
B	Beech	11 S 32 E	23	20, 24, 28, 26	Beech	18 S 18 E	21	20, 24, 28, 26	Beech	18 S 18 E	21	20, 24, 28, 26	Beech	18 S 18 E	21
C	Sugar	10 S 3 E	36	13, 14, 22, 24	Hickory	17 S 23 E	15	13, 14, 22, 24	Hickory	17 S 23 E	15	13, 14, 22, 24	Hickory	17 S 23 E	15
D	Beech	11 N 25 W	31	11, 12, 13, 14	Beech	15 S 24 E	2	11, 12, 13, 14	Beech	15 S 24 E	2	11, 12, 13, 14	Beech	15 S 24 E	2
E	Hickory	10 N 29 W	11	1, 2, 11, 12	Beech	17 S 25 W	33	1, 2, 11, 12	Beech	17 S 25 W	33	1, 2, 11, 12	Beech	17 S 25 W	33
F	Beech	4 S 35 E	5	26, 27, 34, 35	Beech	15 S 24 E	23	26, 27, 34, 35	Beech	15 S 24 E	23	26, 27, 34, 35	Beech	15 S 24 E	23
G	W. Oak	18 N 21 E	28	22, 23, 26, 27	Beech	15 S 24 E	21	22, 23, 26, 27	Beech	15 S 24 E	21	22, 23, 26, 27	Beech	15 S 24 E	21
H	Beech	11 S 31 W	34	14, 15, 22, 23	Beech	15 S 24 E	23	14, 15, 22, 23	Beech	15 S 24 E	23	14, 15, 22, 23	Beech	15 S 24 E	23
I	From B & F, Beech, Oak	10, 11, 14, 15	35	2, 3, 10, 11	Beech	15 S 24 E	17	2, 3, 10, 11	Beech	15 S 24 E	17	2, 3, 10, 11	Beech	15 S 24 E	17
J	Sugar	16 S 26 E	35	27, 28, 33, 34	Beech	15 S 24 E	26	27, 28, 33, 34	Beech	15 S 24 E	26	27, 28, 33, 34	Beech	15 S 24 E	26
K	Beech	16 S 20 E	28	21, 22, 27, 28	Beech	15 S 24 E	13	21, 22, 27, 28	Beech	15 S 24 E	13	21, 22, 27, 28	Beech	15 S 24 E	13
L	Beech	16 S 20 E	28	15, 16, 21, 22	Beech	15 S 24 E	13	15, 16, 21, 22	Beech	15 S 24 E	13	15, 16, 21, 22	Beech	15 S 24 E	13
M	Beech	16 S 20 E	28	9, 10, 15, 16	Beech	15 S 24 E	13	9, 10, 15, 16	Beech	15 S 24 E	13	9, 10, 15, 16	Beech	15 S 24 E	13
N	Beech	16 S 20 E	28	3, 4, 9, 10	Beech	15 S 24 E	13	3, 4, 9, 10	Beech	15 S 24 E	13	3, 4, 9, 10	Beech	15 S 24 E	13
O	Beech	16 S 20 E	28	23, 29, 32, 33	Beech	15 S 24 E	13	23, 29, 32, 33	Beech	15 S 24 E	13	23, 29, 32, 33	Beech	15 S 24 E	13
P	Beech	16 S 20 E	28	20, 21, 28, 29	Beech	15 S 24 E	13	20, 21, 28, 29	Beech	15 S 24 E	13	20, 21, 28, 29	Beech	15 S 24 E	13
Q	Beech	16 S 20 E	28	16, 17, 20, 21	Beech	15 S 24 E	13	16, 17, 20, 21	Beech	15 S 24 E	13	16, 17, 20, 21	Beech	15 S 24 E	13
R	Beech	16 S 20 E	28	8, 9, 16, 17	Beech	15 S 24 E	13	8, 9, 16, 17	Beech	15 S 24 E	13	8, 9, 16, 17	Beech	15 S 24 E	13
S	Beech	16 S 20 E	28	4, 5, 8, 9	Beech	15 S 24 E	13	4, 5, 8, 9	Beech	15 S 24 E	13	4, 5, 8, 9	Beech	15 S 24 E	13
T	Beech	16 S 20 E	28	24, 30, 31, 32	Beech	15 S 24 E	13	24, 30, 31, 32	Beech	15 S 24 E	13	24, 30, 31, 32	Beech	15 S 24 E	13
U	Beech	16 S 20 E	28	19, 20, 29, 30	Beech	15 S 24 E	13	19, 20, 29, 30	Beech	15 S 24 E	13	19, 20, 29, 30	Beech	15 S 24 E	13
V	Beech	16 S 20 E	28	17, 18, 19, 20	Beech	15 S 24 E	13	17, 18, 19, 20	Beech	15 S 24 E	13	17, 18, 19, 20	Beech	15 S 24 E	13
W	Beech	16 S 20 E	28	7, 8, 17, 18	Beech	15 S 24 E	13	7, 8, 17, 18	Beech	15 S 24 E	13	7, 8, 17, 18	Beech	15 S 24 E	13
X	Beech	16 S 20 E	28	1, 2, 3, 4	Beech	15 S 24 E	13	1, 2, 3, 4	Beech	15 S 24 E	13	1, 2, 3, 4	Beech	15 S 24 E	13
Y	Beech	16 S 20 E	28	5, 6, 7, 8	Beech	15 S 24 E	13	5, 6, 7, 8	Beech	15 S 24 E	13	5, 6, 7, 8	Beech	15 S 24 E	13
Z	Beech	16 S 20 E	28	9, 10, 11, 12	Beech	15 S 24 E	13	9, 10, 11, 12	Beech	15 S 24 E	13	9, 10, 11, 12	Beech	15 S 24 E	13

Indians
H. O.



Locality 1152, 3rd added to the first batch of the Brown Booby line

* See subsection 1000



1819

Between
Sections

Quality &c.


4.4 y 3rd. note. Broken, Birch. Oak. Dogwood &c.

5.6 3rd. note. Broken, Birch. Oak & Hickory

4.5 Same, Timber Same

IND

Township N. 18 North, Range N. 1 East of 2 Mer.



9N-11E 2nd P.

INDIANA.
N & E 2 P. M.

IND

Vol-11

15

Scale of 40 chains to an inch

A true copy from the Original, on file in the
Surveyor General's Office, March 8th 1820.
Edward Liff


J. G. M. R. H. E. 2nd. Allen.

	<div>3643 37.07</div> <div>4237 3627</div> <div>49.00 14708</div> <div>3645 11768</div> <div>2119 5</div>	<div>52.70 2740</div> <div>5 5219</div> <div>2648 40.00</div> <div>41.04 40.00</div> <div>4</div>
<div>3. 2. 6480</div> <div>5335 60.00 1537</div> <div>5 7668 5690</div> <div>2037 15</div> <div>7</div>	<div>55.75 40.00</div> <div>8</div>	



The foregoing subdivisions of fractional sections are truly copied from the Original plats in this Office.
Surveyor General's Office
Cincinnati Oct. 17. 1832.
Sam. Williams
ch. clk.

W. G. W. R. 11 E. 2nd. Mer. ✓



Ent. vol 5 cin. 1c

*The foregoing subdivisions of fractional sections, are truly copied from the original plat in this office
 Surveyor General's Office }
 Cincinnati October 19th 1893*

*Sam. Williams
 ch. clk.*

Compared

1

A hand-drawn map of a land area divided into several sections, labeled with section numbers and acreage. The map is oriented with a north arrow pointing towards the top right. The sections are labeled as follows: Section 21 (top right, 160 acres), Section 28 (middle left, 160 acres), Section 29 (middle left, 160 acres), Section 30 (middle right, 160 acres), Section 31 (bottom, 160 acres), and Section 27 (bottom right, 160 acres). The map also shows a diagonal line running from the top left to the bottom right, and a horizontal line running across the middle. The sections are numbered 21, 28, 29, 30, 31, and 27. The acreage for each section is 160 acres. The map is drawn on a grid of squares.

Section 21: 160 acres

Section 28: 160 acres

Section 29: 160 acres

Section 30: 160 acres

Section 31: 160 acres

Section 27: 160 acres

A. 80.00
 Sec. 21
 A. 115.63
 A. 62.58
 A. 160
 Sec. 22
 A. 160
 A. 160
 Sec. 12
 A. 57.68
 A. 160
 A. 118.48

[illegible]

A hand-drawn survey map showing a triangular plot divided into sections 13, 14, and 22. The plot is bounded by a diagonal line and a horizontal line. Section 14 is at the top, Section 13 is to its right, and Section 22 is below them. Various elevations and bearings are noted along the boundaries and within the sections.

Bearings and distances along the top boundary (from left to right):
 - Section 14: $\angle 56.28$
 - Section 13: $\angle 64.75$
 - Section 13: $\angle 60.00$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$

Bearings and distances along the right boundary (from top to bottom):
 - Section 13: $\angle 118.44$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$

Bearings and distances along the bottom boundary (from left to right):
 - Section 22: $\angle 76.00$
 - Section 22: $\angle 88.62$
 - Section 22: $\angle 77.34$
 - Section 22: $\angle 80.$
 - Section 22: $\angle 160.$
 - Section 22: $\angle 160.$

Section numbers and other notes:
 - Section 14: $\angle 56.28$
 - Section 13: $\angle 64.75$
 - Section 13: $\angle 60.00$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 118.44$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 13: $\angle 160.$
 - Section 22: $\angle 76.00$
 - Section 22: $\angle 88.62$
 - Section 22: $\angle 77.34$
 - Section 22: $\angle 80.$
 - Section 22: $\angle 160.$
 - Section 22: $\angle 160.$

A 160 A 160.
Sec. 15
A 160.74 A 80. A 160

$\angle A = 74.08$
 $\angle B = 75.00$
 $\angle C = 80.00$
 Side opposite $\angle A$: Sen. 36
 Side opposite $\angle B$: 26.36

A 49.75

A 80.00

Sec. 34

Sec. 33

A 107.96

A 160. A 160.

A 85.64 A 31.90

[illegible]

Sec. 29

Sec. 30

Sec. 31


A 65.23

A 160

A 92.36

A 184.72

A 180



Town 9 North, Range No. 11 East, 2nd Principal Meridian

Pursuant to a contract with and instructions from Isaac Coffey, Surveyor General of the State of Ohio, bearing date the 1st day of March 1807, I have measured, laid out & surveyed the above described town, and do hereby certify that it has been marked and bounded both natural and artificial as represented on said plat & entered in the field notes made thereof and returned with this plat into the Surveyor General's Office.

Testified this 17 day of March 1807.

Isaac Coffey, Surveyor General of the State of Ohio
Isaac Coffey



Isaac Coffey

